

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/538,705 06/10/20		06/10/2005	Robert Bristow	P16334-US2	6793
27045	7590	11/15/2006		EXAM	INER
ERICSSON		.	. KINKEAD, ARNOLD M		
6300 LEGA M/S EVR C		E	ART UNIT	PAPER NUMBER	
PLANO, T	PLANO, TX 75024				
				DATE MAILED: 11/15/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Summary	10/538,705	BRISTOW, ROBERT				
Onice Action Summary	Examiner	Art Unit				
The MAIL INC DATE of this commission	Arnold M. Kinkead	2817				
The MAILING DATE of this communication Period for Reply	appears on the cover sneet w	ntn the correspondence address				
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFI after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory pe - Failure to reply within the set or extended period for reply will, by st Any reply received by the Office later than three months after the mearned patent term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUNION R 1.136(a). In no event, however, may a local control of the control of	CATION. reply be timely filed ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on P	Prel. Amdt.					
2a) This action is FINAL . 2b) ⊠ 1	· · · · · · · · · · · · · · · · · · ·					
3) Since this application is in condition for allo	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice und	er <i>Ex par</i> te <i>Quayle</i> , 1935 C.D). 11, 453 O.G. 213.				
Disposition of Claims						
4) Claim(s) <u>1-9</u> is/are pending in the application 4a) Of the above claim(s) is/are with 5) Claim(s) is/are allowed. 6) Claim(s) <u>1-9</u> is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and	drawn from consideration.					
Application Papers						
9)☐ The specification is objected to by the Exam 10)☒ The drawing(s) filed on 10 June 2005 is/are Applicant may not request that any objection to Replacement drawing sheet(s) including the cor 11)☐ The oath or declaration is objected to by the	e: a) accepted or b) obje the drawing(s) be held in abeyar rrection is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the papplication from the International But * See the attached detailed Office action for a	nents have been received. nents have been received in A priority documents have been reau (PCT Rule 17.2(a)).	Application No received in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) s)/Mail Date				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of I	nformal Peten Application				

DETAILED ACTION

Priority

 Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Drawings

2. The drawings are objected to because PCT data should be deleted from top of pages. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as " amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either " Replacement Sheet" or " New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/538,705

Art Unit: 2817

Claim Rejections - 35 USC § 103

Page 3

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Darabi et al(US 6,404,293) and in view of Mogensen (4,318,049).

The reference by Darabi et al discloses a radio transceiver(see figure 1), which include mobile communications device such as Bluetooth enabled devices(cell phones, etc.) Figure 7 shows a quadrature modulator for generating scaled IQ signals, the first scaling means including (890, 892, 896, 897); second scaling means(890,894,898,899).

Adding means(+) and subtracting means(-) are shown for respectively adding scaled I,Q signals and subtracting scaled I,Q signals to generate the Local Oscillator signals(LO I,Q). The method steps being inherent.

The reference does not show the exact scaling as claimed(2 sin(a/2); 2cos(a/2)), but it is to be noted that in col. 11, a scaled result is also obtained (see equations 47, 48) for the sin and cos. This is based in part on the particular divider output(see cols. 11-12) and thus the scaling can be determined by simply setting the divider value and attenuating undesired harmonics...

Also, the reference does not show the use of the LO I,Q signals being sent to a pair of mixers and then added, but it is notoriously well known in the art that these LO signals maybe used to modulate/recover(quadrature) an RF carrier

Art Unit: 2817

via a mixer and finally adding the mixed signals in the receiver side of the transceiver, shown in general, see abstract figure of Mogensen with LO(5) feeding the receiver(mixers 12,13, and adder 14) to recover the carrier.

In light of the above it would have been obvious to one of ordinary skill in the art to have recognized that the particular scaling would be dependent on the desired harmonic and frequency of operation as noted above in the primary reference. The use of the quadrature LO signals generated, can then be used to recover the carrier in the receiver side of the transceiver of Darabi et al, as suggested in the Morgensen reference and noted above.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arnold M. Kinkead whose telephone number is 571-272-1763. The examiner can normally be reached on Mon-Fri, 8:30 am -5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on 571-272-1769. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/538,705

Art Unit: 2817

Arnold M Kinkead Primary Examiner Art Unit 2817

Arnold Kinkead 10-12-06